This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

F16.1

PEUU/Control Not Implanted

io um

F16.2



PEUU Implanted 28 Days

10 mm


3/13

F1G.3

PEUU/SODM 28 Days

10 µ m

F16.4







FIG. 5 SODm - Polyethylene Implants at Day 3




SODm - Polyethylene Implants at Day 28 アラウラ

A. Control; Foreign body giant cells, FBGCs, (arrow) lie immediately next to implant. Implant capsule consists layered fibroblasts and collagen matrix. Bar = 20 um.


B. Low dose SODm; FBGCs are reduced but present in crevices long PE surface. Capsule thickness and content similar to control.

C. High dose SODm; FBGCs are rarely observed. Implant capsule significantly reduced in thickness with fewer cells and less





Foreign Body Giant Cells and Capsule Thickness; Day 28 Effect of SODm on Chronic Inflammation;



SODm - Polyurethane Implants at Day 28.

下后,8

m A. Control; Foreign body giant cells, FBGCs, lie Capsule of layered fibroblasts and matrix has observed. Implant capsule thickness is less High dose SODm; FBGCs are reduced but next to implant (arrow). Implant capsule Capsule tissue next to implant. Bar = 20 um. consists of layered fibroblast and matrix. Low dose SODm; FBGCs are reduced. thickness similar to control. than control. B.

F(G, 9 SODm-Tantalum Implant at 3 days




FIG. 10 SODm -Tantalum Implant at 28 days



一、也」口

